


www.acumenlight.com



ACUMEN


MENSA PLUS CATALOGUE

CATA
LOGUE
**MENSA
PLUS**

RECESSED SPOT LIGHT

Mensa Plus

ACU RL 245010




Wattage	Beam angle
7W	15° 24° 38°
Color Temperature	Lumen Output
3000k	560Lm
4000k	560Lm
Installation	Rated Life Hours
Recessed	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC	Aluminum

RECESSED SPOT LIGHT

Mensa Plus

ACU RL 245011




Wattage	Beam angle
15W	15° 24° 38°
Color Temperature	Lumen Output
3000k	1200Lm
4000k	1200Lm
Installation	Rated Life Hours
Recessed	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC	Aluminum

RECESSED SPOT LIGHT

Mensa Plus

ACU RL 245012




Wattage	Beam angle
24W	15° 24° 38°
Color Temperature	Lumen Output
3000k	2040Lm
4000k	2040Lm
Installation	Rated Life Hours
Recessed	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC	Aluminum

RECESSED SPOT LIGHT

Mensa Plus

ACU RL 245013




Wattage	Beam angle
30W	15° 24° 38°
Color Temperature	Lumen Output
3000k	2050Lm
4000k	2050Lm
Installation	Rated Life Hours
Recessed	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC	Aluminum



SURFACE MOUNTED SPOT LIGHT

Mensa Plus

ACU SML 245510




Wattage	Beam angle
7W	15° 24° 38°
Color Temperature	Lumen Output
3000k	560Lm
4000k	560Lm
Installation	Rated Life Hours
Surface Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC	Aluminum

SURFACE MOUNTED SPOT LIGHT

Mensa Plus

ACU SML 245511



Wattage	Beam angle
15W	15° 24° 38°
Color Temperature	Lumen Output
3000k	1200Lm
4000k	1200Lm
Installation	Rated Life Hours
Surface Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC	Aluminum

SURFACE MOUNTED SPOT LIGHT

Mensa Plus

ACU SML 245512



Wattage	Beam angle
24W	15° 24° 38°
Color Temperature	Lumen Output
3000k	2040Lm
4000k	2040Lm
Installation	Rated Life Hours
Surface Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC	Aluminum

SURFACE MOUNTED SPOT LIGHT

Mensa Plus

ACU SML 245513



Wattage	Beam angle
30W	15° 24° 38°
Color Temperature	Lumen Output
3000k	2050Lm
4000k	2050Lm
Installation	Rated Life Hours
Surface Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC	Aluminum



TRACK MOUNTED SPOT LIGHT

Mensa Plus

ACU TL 244010




Wattage	Beam angle
7W	15° 24° 38°
Color Temperature	Lumen Output
3000k	560Lm
4000k	560Lm
Installation	Rated Life Hours
Track System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC	Aluminum

TRACK MOUNTED SPOT LIGHT

Mensa Plus

ACU TL 244011




Wattage	Beam angle
15W	15° 24° 38°
Color Temperature	Lumen Output
3000k	1200Lm
4000k	1200Lm
Installation	Rated Life Hours
Track System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC	Aluminum

TRACK MOUNTED SPOT LIGHT

Mensa Plus

ACU TL 244012



Wattage

24W

Beam angle

15° 24° 38°

Color Temperature

3000k

4000k

Lumen Output

2040Lm

2040Lm

Installation

Track System

Rated Life Hours

30,000 - 50,000H

CRI

≥90

Colors

■ Black □ White

Input Voltage

220V AC


Materials

Aluminum

TRACK MOUNTED SPOT LIGHT

Mensa Plus

ACU TL 244013



Wattage

30W

Beam angle

15° 24° 38°

Color Temperature

3000k

4000k

Lumen Output

2050Lm

2050Lm

Installation

Track System

Rated Life Hours

30,000 - 50,000H

CRI

≥90

Colors

■ Black □ White

Input Voltage

220V AC

Materials

Aluminum





    @acumenlight

www.acumenlight.com