

www.acumenlight.com

ACUMEN


METEOR MAGNETIC CATALOGUE

CATA
LOGUE
Meteor
Magnetic

Grazer Light



Meteor Magnetic

ACU MM 243010



Wattage	Beam angle
6W	24° 38°
Color Temperature	Lumen Output
3000k	524Lm
4000k	536Lm
Installation	Rated Life Hours
Magnetic System	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC


ACU MM 243011



Wattage	Beam angle
10W	24° 38°
Color Temperature	Lumen Output
3000k	1000Lm
4000k	1020Lm
Installation	Rated Life Hours
Magnetic System	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC



ACU MM 243012



Wattage	Beam angle
---------	------------

16W	24° 38°
-----	---------

Color Temperature	Lumen Output
-------------------	--------------

3000k	1527Lm
4000k	1556Lm

Installation	Rated Life Hours
--------------	------------------

Magnetic System	30,000 - 50,000H
-----------------	------------------


CRI	Colors
-----	--------

≥90	■ Black □ White
-----	-----------------

Input Voltage	Materials
---------------	-----------

24V DC	Aluminum + PC
--------	---------------

ACU MM 243013



Wattage	Beam angle
---------	------------

24W	24° 38°
-----	---------

Color Temperature	Lumen Output
-------------------	--------------

3000k	2012Lm
4000k	2057Lm

Installation	Rated Life Hours
--------------	------------------

Magnetic System	30,000 - 50,000H
-----------------	------------------

CRI	Colors
-----	--------

≥90	■ Black □ White
-----	-----------------

Input Voltage	Materials
---------------	-----------


24V DC	Aluminum + PC
--------	---------------



linear Light

Meteor Magnetic

ACU MM 243020



Wattage

10W

Beam angle

110°

Color Temperature

3000k

4000k

Lumen Output

864Lm

885Lm

Installation

Magnetic System

Rated Life Hours

30,000 - 50,000H

CRI

≥90

Colors

■ Black □ White


Input Voltage

24V DC

Materials

Aluminum + PC

ACU MM 243021



Wattage

16W

Beam angle

110°

Color Temperature

3000k

4000k

Lumen Output

1768Lm

1821Lm

Installation

Magnetic System

Rated life hours

30,000 - 50,000H

CRI

≥90

Colors

■ Black □ White

Input Voltage


24V DC

Materials

Aluminum + PC



ACU MM 243022




Wattage	Beam angle
24W	110°
Color Temperature	Lumen Output
3000k	2359Lm
4000k	2430Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC

Spot Light


Meteor Magnetic

ACU MM 243030




Wattage	Beam angle
8W	38°
Color Temperature	Lumen Output
3000k	620Lm
4000k	638Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC

ACU MM 243031



Wattage	Beam angle
2x8W	24° 40°
Color Temperature	Lumen Output
3000k	1329Lm
4000k	1329Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC

ACU MM 243032



Wattage	Beam angle
12W	15° 24° 38°
Color Temperature	Lumen Output
3000k	1396Lm
4000k	1438Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC



Zoomable Light

Meteor Magnetic

ACU MM 243034



Wattage	Beam angle
10W	10° to 60°
Color Temperature	Lumen Output
3000k	739Lm
4000k	765Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC

ACU MM 243035



Wattage	Beam angle
16W	10° to 60°
Color Temperature	Lumen Output
3000k	1484Lm
4000k	1585Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC



Wide Spot Light

Meteor Magnetic

ACU MM 243036



Wattage

10W

Beam angle

10° 24° 36°

Color Temperature

3000k

4000k

Lumen Output

877Lm

899Lm

Installation

Magnetic System

Rated Life Hours

30,000 - 50,000H

CRI

≥90

Colors

■ Black □ White

Input Voltage

24V DC

Materials

Aluminum + PC

Adjustable Grazer

ACU MM 243040



Wattage

6W

Beam angle

24° 38°

Color Temperature

3000k

4000k

Lumen Output

469Lm

480Lm

Installation

Magnetic System

Rated Life Hours

30,000 - 50,000H

CRI

≥90

Colors

■ Black □ White


Input Voltage

24V DC

Materials


Aluminum + PC

ACU MM 243041




Wattage	Beam angle
10W	24° 38°
Color Temperature	Lumen Output
3000k	1000Lm
4000k	1020Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC

ACU MM 243042



Wattage	Beam angle
16W	24° 38°
Color Temperature	Lumen Output
3000k	1527Lm
4000k	1556Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC


ACU MM 243043



Wattage	Beam angle
24W	24° 38°
Color Temperature	Lumen Output
3000k	2012Lm
4000k	2057Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC


Adjustable Linear

ACU MM 243050



Wattage	Beam angle
10W	110°
Color Temperature	Lumen Output
3000k	864Lm
4000k	885Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC

ACU MM 243051



Wattage	Beam angle
16W	110°
Color Temperature	Lumen Output
3000k	1786Lm
4000k	1821Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC

Decorative Lights

ACU MM 243060



Wattage	Beam angle
10W	24° 40°
Color Temperature	Lumen Output
3000k	891Lm
4000k	910Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC




ACU MM 243061



Wattage	Beam angle
12W	24° 38°
Color Temperature	Lumen Output
3000k	576Lm
4000k	598Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC

ACU MM 243062



Wattage	Beam angle
6W	15° 24° 38°
Color Temperature	Lumen Output
3000k	315Lm
4000k	324Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + PC

ACU MM 243063



Wattage	Beam angle
6W	235°
Color Temperature	Lumen Output
3000k	375Lm
4000k	384Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + Glass

ACU MM 243064




Wattage	Beam angle
16W	110°
Color Temperature	Lumen Output
3000k	1063Lm
4000k	1092Lm
Installation	Rated Life Hours
Magnetic System	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC	Aluminum + Glass



Magnetic Track & **Accessories**

Before Gypsum Ceiling

ACU MMT 001BGR




Installation **Colors**
Magnetic System ■ Black □ White

Materials
Aluminum + Copper



ACU MMT 002BGR



Installation **Colors**
Magnetic System ■ Black □ White


Materials
Aluminum + Copper



Before Gypsum Ceiling

ACU MMAC 0229BGR

Right Angle Connector



Materials **Colors**
Aluminum ■ Black □ White

Installation
Magnetic System To Connect
Between Two Track Rails Horizontally



ACU MMAC 0230BGR

Outer Angle Connector



Materials **Colors**
Aluminum ■ Black □ White


Installation
Magnetic System To Connect
Between Two Track Rails
Horizontally and Vertically
- Outer Side
- Ceiling → Wall



Before Gypsum Ceiling

ACU MMAC 0231BGR

Inner Angle Connector



Materials

Aluminum

Colors

■ Black □ White


Installation

Magnetic System To Connect
Between Two Track Rails
Horizontally and Vertically
- Inner Side
- Ceiling → Wall
- Wall → Wall



ACU MMAC 0236BGR

T Connector



Materials

Aluminum

Colors

■ Black □ White

Installation



Magnetic System To Connect
Between Three Track Rails Horizontally



Before Gypsum Ceiling

ACU MMAC 0237BGR

X Connector



Materials

Aluminum

Colors

■ Black □ White


Installation

Magnetic System To Connect
Between Four Track Rails Horizontally



After Gypsum Ceiling

ACU MMT 001AGR



Installation

Magnetic System

Colors


■ Black □ White

Materials

Aluminum + Copper



ACU MMT 002AGR



Installation

Magnetic System

Colors

■ Black □ White

Materials


Aluminum + Copper



After Gypsum Ceiling

ACU MMAC 0229AGR

Right Angle Connector



Installation

Magnetic System

Colors

■ Black □ White


Materials

Aluminum



ACU MMAC 0230AGR

Outer Angle Connector



Installation

Magnetic System

Colors

■ Black □ White


Materials

Aluminum



ACU MMAC 0231AGR

Inner Angle Connector



Installation

Magnetic System

Colors

■ Black □ White


Materials

Aluminum



ACU MMAC 0236AGR

T Connector



Installation

Magnetic System

Colors

■ Black □ White



Materials

Aluminum



ACU MMAC 0237AGR

X Connector



Installation

Magnetic System

Colors

■ Black □ White


Materials

Aluminum



Surface Mounted

ACU MMT 001SM



Installation	Colors
---------------------	---------------


Magnetic System ■ Black □ White

Materials

Aluminum + Copper



ACU MMT 002SM



Installation	Colors
---------------------	---------------

Magnetic System ■ Black □ White


Materials

Aluminum + Copper




Surface Mounted

ACU MMAC 0214




ACU MMAC 0216



Surface Mounted

ACU MMAC 0227

Outer Angle Connector



Installation

Magnetic System

Colors

■ Black □ White


Materials

Aluminum + Copper



ACU MMAC 0228

Inner Angle Connector



Installation

Magnetic System

Colors

■ Black □ White

Materials


Aluminum + Copper



POWER

Accessories

ACU MMAC 0212



Installation


Magnetic System

Colors

☐ White



ACU MMAC 0221



Installation

Magnetic System

4-side Power Connector



ACU MMAC 0222



Installation

Magnetic System


Colors

■ Black □ White

Power Connector



ACU MMAC 0223



Installation

Magnetic System


Colors

■ Black □ White

Power Connector



ACU MMAC 0224



Installation

Magnetic System

Materials

Aluminum + Copper

Power Feeder





    @acumenlight
www.acumenlight.com