




CATA LOGUE **PROJECTOR**

Projector


Landscape Projector

ACU OP 211003M



Wattage	Beam angle
6 W	15° 40°
Color Temperature	Lumen Output
3000k	540 Lm
Installation	Rated life hours
Surface Mounted	30000-50000H
CRI	Colors
≥80	■ Black
Input Voltage	Material
220V AC	Die-Casting aluminium
Cutting Section	
N/A	

ACU OP 211003S




Wattage	Beam angle
6 W	15° 40°
Color Temperature	Lumen Output
3000k	540 Lm
Installation	Rated life hours
Planted	30000-50000H
CRI	Colors
≥80	■ Black
Input Voltage	Material
220V AC	Die-Casting aluminium
Cutting Section	
N/A	



Projector

Landscape Projector

ACU OP 211101M



Wattage	Beam angle
12 W	15° 40°
Color Temperature	Lumen Output
3000k	1080 Lm
Installation	Rated life hours
Surface Mounted	30000-50000H
CRI	Colors
≥80	■ Black
Input Voltage	Material
220V AC	Die-Casting aluminium
Cutting Section	
N/A	

ACU OP 211101S




Wattage	Beam angle
12 W	15° 40°
Color Temperature	Lumen Output
3000k	1080 Lm
Installation	Rated life hours
Planted	30000-50000H
CRI	Colors
≥80	■ Black
Input Voltage	Material
220V AC	Die-Casting aluminium
Cutting Section	
N/A	



Projector


Landscape Projector

ACU OP 211102M



Wattage	Beam angle
16 W	15° 40°
Color Temperature	Lumen Output
3000k	1440 Lm
Installation	Rated life hours
Surface Mounted	30000-50000H
CRI	Colors
≥80	■ Black
Input Voltage	Material
220V AC	Die-Casting aluminium
Cutting Section	
N/A	

ACU OP 211102S



Wattage	Beam angle
16 W	15° 40°
Color Temperature	Lumen Output
3000k	1440 Lm
Installation	Rated life hours
Planted	30000-50000H
CRI	Colors
≥80	■ Black
Input Voltage	Material
220V AC	Die-Casting aluminium
Cutting Section	
N/A	



Projector

Tree Ring

ACU OP 211000R



Tree Ring, Used with Tree light projectors

Diameter

600mm



    @acumenlight

www.acumenlight.com