


www.acumenlight.com



ACUMEN


MENSA PLUS CATALOGUE

CATA
LOGUE
**MENSA
PLUS**

RECESSED ADJUSTABLE SPOT LIGHT

Mensa Plus

ACU RL 245010




Wattage	Beam angle
7W	15° 24° 38°
Color Temperature	Lumen Output
3000k	560Lm
4000k	560Lm
Installation	Rated Life Hours
Recessed	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Remote Driver)	Powder Coated Aluminum

RECESSED SPOT LIGHT

Mensa Plus

ACU RL 245011



Wattage	Beam angle
15W	15° 24° 38°
Color Temperature	Lumen Output
3000k	1200Lm
4000k	1200Lm
Installation	Rated Life Hours
Recessed	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Remote Driver)	Powder Coated Aluminum

ACU RL 245012



Wattage	Beam angle
24W	15° 24° 38°
Color Temperature	Lumen Output
3000k	2040Lm
4000k	2040Lm
Installation	Rated Life Hours
Recessed	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Remote Driver)	Powder Coated Aluminum



SURFACE MOUNTED ADJUSTABLE SPOT LIGHT

Mensa Plus

ACU SML 245510



Wattage	Beam angle
7W	15° 24° 38°
Color Temperature	Lumen Output
3000k	560Lm
4000k	560Lm
Installation	Rated Life Hours
Surface Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Built in Driver)	Powder Coated Aluminum

SURFACE MOUNTED SPOT LIGHT

Mensa Plus

ACU SML 245511



Wattage	Beam angle
15W	15° 24° 38°
Color Temperature	Lumen Output
3000k	1200Lm
4000k	1200Lm
Installation	Rated Life Hours
Surface Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Built in Driver)	Powder Coated Aluminum

ACU SML 245512




Wattage	Beam angle
24W	15° 24° 38°
Color Temperature	Lumen Output
3000k	2040Lm
4000k	2040Lm
Installation	Rated Life Hours
Surface Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Built in Driver)	Aluminum



TRACK MOUNTED ADJUSTABLE SPOT LIGHT

Mensa Plus

ACU TL 244010




Wattage	Beam angle
7W	15° 24° 38°
Color Temperature	Lumen Output
3000k	560Lm
4000k	560Lm
Installation	Rated Life Hours
Track Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Built in Driver)	Powder Coated Aluminum

TRACK MOUNTED SPOT LIGHT

Mensa Plus

ACU TL 244011




Wattage	Beam angle
15W	15° 24° 38°
Color Temperature	Lumen Output
3000k	1200Lm
4000k	1200Lm
Installation	Rated Life Hours
Track Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Built in Driver)	Powder Coated Aluminum

TRACK MOUNTED SPOT LIGHT

Mensa Plus

ACU TL 244012



Wattage	Beam angle
24W	15° 24° 38°
Color Temperature	Lumen Output
3000k	2040Lm
4000k	2040Lm
Installation	Rated Life Hours
Track Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Built in Driver)	Powder Coated Aluminum





    @acumenlight
www.acumenlight.com