



M E N S A P L U S

Indoor Lighting

ACUMEN

www.acumenlight.com


MENSA PLUS

Adjustable spotlight is designed for sophisticated accent lighting—perfectly highlighting art, textures, and architectural beauty. A seamless blend of form and function for discerning interiors.

RECESSED ADJUSTABLE SPOT LIGHT

Mensa Plus

ACU RL 245010



Wattage

7W

Beam angle

15° 24° 38°

Color Temperature

3000k

4000k

Lumen Output

560Lm

560Lm

Installation

Recessed

Rated Life Hours

30,000 - 50,000H

CRI

≥90

Colors

■ Black □ White

Input Voltage

220V AC
(Via the Attached Remote Driver)


Materials

Powder Coated
Aluminum

RECESSED SPOT LIGHT

Mensa Plus

ACU RL 245011



Wattage

15W

Beam angle

15° 24° 38°

Color Temperature

3000k

4000k

Lumen Output

1200Lm

1200Lm

Installation

Recessed

Rated Life Hours

30,000 - 50,000H

CRI

≥90

Colors

■ Black □ White

Input Voltage

220V AC
(Via the Attached Remote Driver)

Materials

Powder Coated
Aluminum

ACU RL 245012




Wattage	Beam angle
24W	15° 24° 38°
Color Temperature	Lumen Output
3000k	2040Lm
4000k	2040Lm
Installation	Rated Life Hours
Recessed	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Remote Driver)	Powder Coated Aluminum



SURFACE MOUNTED ADJUSTABLE SPOT LIGHT

Mensa Plus

ACU SML 245510




Wattage	Beam angle
7W	15° 24° 38°
Color Temperature	Lumen Output
3000k	560Lm
4000k	560Lm
Installation	Rated Life Hours
Surface Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Built in Driver)	Powder Coated Aluminum

SURFACE MOUNTED SPOT LIGHT

Mensa Plus

ACU SML 245511



Wattage	Beam angle
15W	15° 24° 38°
Color Temperature	Lumen Output
3000k	1200Lm
4000k	1200Lm
Installation	Rated Life Hours
Surface Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Built in Driver)	Powder Coated Aluminum

ACU SML 245512



Wattage	Beam angle
24W	15° 24° 38°
Color Temperature	Lumen Output
3000k	2040Lm
4000k	2040Lm
Installation	Rated Life Hours
Surface Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Built in Driver)	Aluminum




הנה
הא
הא

TRACK MOUNTED ADJUSTABLE SPOT LIGHT

Mensa Plus

ACU TL 244010




Wattage	Beam angle
7W	15° 24° 38°
Color Temperature	Lumen Output
3000k	560Lm
4000k	560Lm
Installation	Rated Life Hours
Track Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Built in Driver)	Powder Coated Aluminum

TRACK MOUNTED SPOT LIGHT

Mensa Plus

ACU TL 244011




Wattage	Beam angle
15W	15° 24° 38°
Color Temperature	Lumen Output
3000k	1200Lm
4000k	1200Lm
Installation	Rated Life Hours
Track Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
220V AC (Via the Attached Built in Driver)	Powder Coated Aluminum

TRACK MOUNTED ADJUSTABLE SPOT LIGHT

Mensa Plus

ACU TL 244012



Wattage	Beam angle
24W	15° 24° 38°
Color Temperature	Lumen Output
3000k	2040Lm
4000k	2040Lm
Installation	Rated Life Hours
Track Mounted	30,000 - 50,000H
CRI	Colors
≥90	<input checked="" type="checkbox"/> Black <input type="checkbox"/> White
Input Voltage	Materials
220V AC (Via the Attached Built in Driver)	Powder Coated Aluminum

