


METEOR MAGNETIC

INDOOR LIGHTING



Meteor Magnetic


24 V DC

Meteor Magnetic is a magnetic lighting system that allows fixtures to snap and slide along magnetic tracks, creating flexible and dynamic lighting compositions. It combines architectural precision with a modular system approach.

Meteor Magnetic


Fixed – Grazer Light – Track Mounted

ACU MM 243010



Wattage	Beam Angle
6W	24° 38°
Colors Temperature	Lumen Output
3000k	510 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC

ACU MM 243011



Wattage	Beam Angle
10W	24° 38°
Colors Temperature	Lumen Output
3000k	850 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC






Meteor Magnetic


Fixed – Grazer Light – Track Mounted

ACU MM 243012



Wattage	Beam Angle
16W	24° 38°
Colors Temperature	Lumen Output
3000k	1360 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC

ACU MM 243013




Wattage	Beam Angle
24W	24° 38°
Colors Temperature	Lumen Output
3000k	2040 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC



Meteor Magnetic


Fixed – Linear Light – Track Mounted

ACU MM 243020



Wattage	Beam Angle
10W	110°
Colors Temperature	Lumen Output
3000k	850 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC

ACU MM 243021




Wattage	Beam Angle
16W	110°
Colors Temperature	Lumen Output
3000k	1360 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC AC (Via the External Driver)	Powder Coated Aluminum + PC



Meteor Magnetic

Fixed – Linear Light – Recessed

ACU MM 243022




Wattage	Beam Angle
24W	110°
Colors Temperature	Lumen Output
3000k	2040 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum

Meteor Magnetic

Rotatable & Adjustable – Spotlight – Track Mounted

ACU MM 243030




Wattage	Beam Angle
8W	15° 24° 38°
Colors Temperature	Lumen Output
3000k	610 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC



Meteor Magnetic


Rotatable & Adjustable – Double Spot Light – Track Mounted

ACU MM 243031



Wattage	Beam Angle
2x8W	24° 40°
Colors Temperature	Lumen Output
3000k	1220 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC

ACU MM 243032



Wattage	Beam Angle
12W	15° 24° 38°
Colors Temperature	Lumen Output
3000k	943 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC






Meteor Magnetic


Zoomable, Rotatable & Adjustable – Spotlight – Track Mounted

ACU MM 243034



Wattage	Beam Angle
10W	10° to 60°
Colors Temperature	Lumen Output
3000k	739 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC

ACU MM 243035



Wattage	Beam Angle
16W	10° to 60°
Colors Temperature	Lumen Output
3000k	1360 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC



Meteor Magnetic

Wide – Rotatable & Adjustable – Downlight & Spotlight – Track Mounted

ACU MM 243036




Wattage	Beam Angle
10W	10° 24° 36°
Colors Temperature	Lumen Output
3000k	850 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC

Meteor Magnetic

Zoomable, Rotatable & Adjustable – Motorized – Spotlight & Downlight – Track Mounted

ACU MM 243038



Wattage	Beam Angle
20W	15-50 Zoomable °
Colors Temperature	Lumen Output
2700 – >6500 Tunable	1700 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
48V DC (Via the External Driver)	Powder Coated Aluminum



Meteor Magnetic


Adjustable – Grazer Light – Track Mounted

ACU MM 243040



Wattage	Beam Angle
6W	24° 38°
Colors Temperature	Lumen Output
3000k	510 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC

ACU MM 243041



Wattage	Beam Angle
10W	24° 38°
Colors Temperature	Lumen Output
3000k	850 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC






Meteor Magnetic

Adjustable – Grazer Light – Track Mounted

ACU MM 243042



Wattage	Beam Angle
16W	24° 38°
Colors Temperature	Lumen Output
3000k	1360 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC

ACU MM 243043




Wattage	Beam Angle
24W	24° 38°
Colors Temperature	Lumen Output
3000k	2040 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC

Meteor Magnetic


Adjustable – Linear Light – Track Mounted

ACU MM 243050



Wattage	Beam Angle
10W	110°
Colors Temperature	Lumen Output
3000k	850 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC

ACU MM 243051



Wattage	Beam Angle
16W	110°
Colors Temperature	Lumen Output
3000k	1360 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC



Meteor Magnetic


Decorative Light – Track Mounted – Suspended

ACU MM 243060



Wattage	Beam Angle
10W	24° 40° 60°
Colors Temperature	Lumen Output
3000k	89l Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC

ACU MM 243061



Wattage	Beam Angle
12W	24° 38°
Colors Temperature	Lumen Output
3000k	576 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC






Meteor Magnetic


Decorative Light – Track Mounted – Suspended

ACU MM 243062



Wattage	Beam Angle
6W	15° 24° 38°
Colors Temperature	Lumen Output
3000k	315 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC

ACU MM 243063



Wattage	Beam Angle
6W	235°
Colors Temperature	Lumen Output
3000k	375 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 – 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC



Meteor Magnetic

Decorative Light – Track Mounted

ACU MM 243064




Wattage	Beam Angle
16W	110°
Colors Temperature	Lumen Output
3000k	1063 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum + PC

Meteor Magnetic

Adjustable – Wall Washer – Track Mounted

ACU MM 243065



Wattage	Beam Angle
15W	33°
Colors Temperature	Lumen Output
3000k	1000 Lm
Installation	Rated Life Hours
Magnetic Track Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum








METEOR TRACK & ACCESSORIES

Before Gypsum Ceiling

ACU MMT 001BGR

Track Light



Installation

Recessed

Colors

■ Black □ White


Materials

Aluminum + Copper



ACU MMT 002BGR

Track Light



Installation

Recessed

Colors

■ Black □ White

Materials

Aluminum + Copper



ACU ACMM 1L-2.5AC

Track Rail with AC Grill



Installation

Recessed

Colors

■ Black □ White


Materials

Aluminium + Copper



ACU MMAC 0229BGR

Right Angle Connector L-shape



Installation

Recessed

Colors

■ Black □ White

Materials

Aluminium + Copper



Before Gypsum Ceiling

ACU MMAC 0230BGR

Outer Angle Connector



Installation

Recessed

Colors

■ Black □ White


Materials

Aluminium + Copper



ACU MMAC 0231BGR

Inner Angle Connector



Installation

Recessed

Colors

■ Black □ White


Materials

Aluminium + Copper



ACU MMAC 0236BGR

T Connector



Installation

Recessed

Colors

■ Black □ White


Materials

Aluminium + Copper



ACU MMAC 0237BGR

X Connector



Installation

Recessed

Colors


■ Black □ White

Materials

Aluminium + Copper



ACU MMT 001AGR



Installation

Recessed

Colors


■ Black □ White

Materials

Aluminium + Copper



ACU MMT 002AGR



Installation

Recessed

Colors

■ Black □ White


Materials

Aluminium + Copper



ACU MMAC 0229AGR

Right Angle Connecto L-shaper



Installation

Recessed

Colors

■ Black □ White


Materials

Aluminium + Copper



ACU MMAC 0230AGR

Outer Angle Connector



Installation

Recessed

Colors

■ Black □ White

Materials


Aluminium + Copper



After Gypsum Ceiling

ACU MMAC 0231AGR

Inner Angle Connector



Installation

Recessed

Colors

■ Black □ White


Materials

Aluminium + Copper



ACU MMAC 0236AGR

T Connector



Installation

Recessed

Colors

■ Black □ White


Materials

Aluminium + Copper



ACU MMAC 0237AGR

X Connector



Installation

Recessed

Colors

■ Black □ White


Materials

Aluminium + Copper



Surface Mounted

ACU MMT 001SM



Installation

Surface Mounted

Colors


■ Black □ White

Materials

Aluminum + Copper



ACU MMT 002SM



Installation

Surface Mounted

Colors

■ Black □ White


Materials

Aluminum + Copper



ACU MMAC 0226

Right Angle Connecto L-shaperr



Installation

Surface Mounted

Colors

■ Black □ White

Materials

Aluminum + Copper



ACU MMAC 0227

Outer Angle Connector



Installation

Surface Mounted

Colors

■ Black □ White

Materials


Aluminum + Copper



Surface Mounted

ACU MMAC 0228

Inner Angle Connector



Installation

Surface Mounted

Colors

■ Black □ White


Materials

Aluminum + Copper



ACU MMAC 0252

T connector



Installation

Surface Mounted

Colors

■ Black □ White


Materials

Aluminum + Copper



ACU MMAC 0253

X connector



Installation

Surface Mounted

Colors

■ Black □ White

Materials

Aluminum + Copper



ACU MMAC 0225

Suspension Accessories



Installation

Suspension Kit

Materials


Aluminum + Copper



POWER

Accessories

ACU MMAC 0212



Installation

Magnetic Track Mounted


Colors

■ Black □ White

Corner Power Connector



ACU MMAC 0221



Installation

Magnetic Track Mounted

Colors

■ Black □ White

4-side Power Connector




ACU MMAC 0222




Installation	Colors
Magnetic Track Mounted	■ Black □ White
Triangle Power Connector	  

ACU MMAC 0223



Installation	Colors
Magnetic Track Mounted	■ Black □ White
Straight Power Connector	  

ACU MMAC 0224



Installation	Colors
Magnetic Track Mounted	■ Black □ White
Power Feeder	  





ACUMEN

📷 📺 📱 📞 @ acumenlight

ACUMEN LIGHT EXPERIENCE HOUSE

Jumeirah Lakes Towers, Cluster F, Indigo Icon Tower,
1403-1404 Office, Dubai, United Arab Emirates
Tel. +971 4 557 6933 / Whatsapp. +971 50 159 4577

ACUMEN LIGHT OPERATION CENTER

First Al Khail St, Al Quoz, Al Quoz Industrial Area 3,
Dubai, United Arab Emirates, Tel. +971 4 252 9155