


STAIR LIGHT

OUTDOOR LIGHTING




Stairlight

Stairlight is an outdoor family for low-level architectural guidance and step illumination. It contains both recessed and wall-mounted executions inside the merged family, all designed for durable exterior use.

Stairlight


fixed - Recessed

ACU OSR 182036



Wattage	Beam Angle
15x0.2W	120°
Colors Temperature	Lumen Output
3000k	≈104 Lm
Installation	Rated Life Hours
Recessed	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White ■ Grey
Input Voltage	Materials
220V AC (via the Built in Driver)	Powder Coated Aluminum

ACU OSR 182037



Wattage	Beam Angle
3x0.7W	120°
Colors Temperature	Lumen Output
3000k	≈36 Lm
Installation	Rated Life Hours
Recessed	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White ■ Grey
Input Voltage	Materials
220V AC (via the Built in Driver)	Powder Coated Aluminum






Stairlight


fixed - Recessed

ACU OSR 182038



Wattage	Beam Angle
18x0.2W	120°
Colors Temperature	Lumen Output
3000k	≈85 Lm
Installation	Rated Life Hours
Recessed	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White ■ Grey
Input Voltage	Materials
220V AC (Via the Built In Driver)	Powder Coated Aluminum

ACU OSR 182039




Wattage	Beam Angle
1x1W	32°
Colors Temperature	Lumen Output
3000k	≈23 Lm
Installation	Rated Life Hours
Recessed	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White ■ Grey
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum



Stairlight


fixed - Recessed

ACU OSR 182040



Wattage	Beam Angle
1x2W	22°
Colors Temperature	Lumen Output
3000k	≈51 Lm
Installation	Rated Life Hours
Recessed	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White ■ Grey
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum

ACU OSR 182041




Wattage	Beam Angle
1x5W	18° 24° 32°
Colors Temperature	Lumen Output
3000k	≈208 Lm
Installation	Rated Life Hours
Recessed	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White ■ Grey
Input Voltage	Materials
24V DC (Via the External Driver)	Powder Coated Aluminum



Stairlight


fixed - Recessed

ACU OSR 216001



Wattage	Beam Angle
30x0.3W	120°
Colors Temperature	Lumen Output
3000k	≈320 Lm
Installation	Rated Life Hours
Recessed	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White ■ Grey
Input Voltage	Materials
220V AC (Via the Built In Drive)	Powder Coated Aluminum

ACU OSR 216002





Wattage	Beam Angle
10x0.5W	120°
Colors Temperature	Lumen Output
3000k	≈112 Lm
Installation	Rated Life Hours
Recessed	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White ■ Grey
Input Voltage	Materials
220V AC (Via the Built In Drive)	Powder Coated Aluminum



Stairlight

Fixed - Recessed

ACU OSR 216003R




Wattage	Beam Angle
9x0.5	77°x35°
Colors Temperature	Lumen Output
3000k	≈ 94 Lm
Installation	Rated Life Hours
Recessed	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White ■ Grey
Input Voltage	Materials
220V AC (Via the Built In Driver)	Powder Coated Aluminum

Stairlight

Wall Mounted - Fixed

ACU OSM 216003S



Wattage	Beam Angle
9x0.5W	77°x35°
Colors Temperature	Lumen Output
3000k	≈ 158 Lm
Installation	Rated Life Hours
Wall Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White ■ Grey
Input Voltage	Materials
220V AC (Via the Built In Driver)	Powder Coated Aluminum






Stairlight

fixed - Recessed

ACU OSR 216004




Wattage	Beam Angle
1x1W	80°
Colors Temperature	Lumen Output
3000k	≈46 Lm
Installation	Rated Life Hours
Recessed	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White ■ Grey
Input Voltage	Materials
220V AC (Via the Built In Driver)	Stainless Steel SUS 316L

Stairlight

Wall Mounted - Fixed

ACU OSR 216005



Wattage	Beam Angle
12x0.5W	120°
Colors Temperature	Lumen Output
3000k	≈120Lm
Installation	Rated Life Hours
Wall Mounted	30,000 - 50,000H
CRI	Colors
≥90	■ Black □ White ■ Grey
Input Voltage	Materials
220V AC (Via the Built In Driver)	Powder Coated Aluminum





ACUMEN

📷 📺 📱 📞 @ acumenlight

ACUMEN LIGHT EXPERIENCE HOUSE

Jumeirah Lakes Towers, Cluster F, Indigo Icon Tower,
1403-1404 Office, Dubai, United Arab Emirates
Tel. +971 4 557 6933 / Whatsapp. +971 50 159 4577

ACUMEN LIGHT OPERATION CENTER

First Al Khail St, Al Quoz, Al Quoz Industrial Area 3,
Dubai, United Arab Emirates, Tel. +971 4 252 9155