



BOLLARD

Outdoor Lighting

ACUMEN


www.acumenlight.com

BOLLARD Modern and functional outdoor bollard light designed to illuminate pathways, gardens, driveways, and open landscapes. Offers glare free lighting with robust construction, perfect for enhancing safety and ambience in any exterior setting.

Bollard

Landscape Light

ACU OB 182071



Wattage	Beam angle
5 W	Asymmetric
Color Temperature	Rated life hours
3000k	30000-50000H
Installation	Material
Floor Mounted	Aluminum + PC
CRI	Colors
≥80	■ Black
Dimension	Input Voltage
L 105.5 x W 104.5 x H 600 mm	220V AC

ACU OB 182072



Wattage	Beam angle
7 W	120°
Color Temperature	Rated life hours
3000k	30000-50000H
Installation	Material
Floor Mounted	Aluminum + PC
CRI	Colors
≥80	■ Black
Dimension	Input Voltage
Ø110 mm, L 775 mm	220V AC

Bollard

Landscape Light

ACU OB 182073-1



Wattage

7 W

Beam angle

Asymmetric

Color Temperature

3000k

Rated life hours

30000-50000H

Installation

Floor Mounted

Material

Aluminum + PC

CRI

≥80

Colors

■ Black


Dimension

L 60 x W 120 x H 400 mm

Input Voltage

220V AC

ACU OB 182073-2



Wattage

7 W

Beam angle

Asymmetric

Color Temperature

3000k

Rated life hours

30000-50000H

Installation

Floor Mounted

Material

Aluminum + PC

CRI

≥80

Colors

■ Black

Dimension

L 60 x W 120 x H 600 mm

Input Voltage


220V AC



Bollard


Landscape Light

ACU OB 182073-3



Wattage	Beam angle
7 W	Asymmetric
Color Temperature	Rated life hours
3000k	30000-50000H
Installation	Material
Floor Mounted	Aluminum + PC
CRI	Colors
≥80	■ Black
Dimension	Input Voltage
L 60 x W 120 x H 800 mm	220V AC

ACU OB 182075-1




Wattage	Beam angle
8.4 W	N/A
Color Temperature	Rated life hours
3000k	30000-50000H
Installation	Material
Floor Mounted	Aluminum sheel & Glass
CRI	Colors
≥80	■ Black
Dimension	Input Voltage
Φ120 x H 400mm , Base Φ150 mm	220V AC

Bollard

Landscape Light

ACU OB 182075-2



Wattage

16.8 W

Beam angle

N/A

Color Temperature

3000k

Rated life hours

30000-50000H

Installation

Floor Mounted

Material

Aluminum sheel & Glass

CRI

≥80

Colors

■ Black

Dimention

Φ120 x H 550mm , Base Φ150 mm

Input Voltage

220V AC

